

plasticase
NANUK[™]
PROFESSIONAL PROTECTIVE CASES



The Inuit people of the great north call him **NANUK**.

Thriving in an unforgiving landscape, the polar bear has evolved to survive the challenges of the freezing temperatures, frigid waters and ice covered terrain of the arctic. As one of earth's most resilient predators, the great white bear is the inspiration behind our name: strong and fearless, designed to survive in the harshest conditions.

[na·nook]
INUIT FOR "POLAR BEAR"



DESIGNED. ENGINEERED.
MANUFACTURED.

About Us

Plasticase began manufacturing plastic cases in 1984 under the name Resentel Ltd. A few years later, after the company's ownership was restructured, Plasticase emerged with a clear mission: design, engineer and manufacture the highest quality injection molded plastic cases in the world.

As the company evolved, demand for an innovative line of robust waterproof cases became evident. Plasticase moved forward with a bold response: NANUK™ "The Evolution of Protection", a complete line of waterproof and impact resistant protective cases rated for military, law enforcement and professional users. With innovative features like the patented Powerclaw latch, rugged NK-7 resin and a distinctive style, NANUK™ instantly earned global recognition while capturing significant international market share. NANUK™ professional protective cases are now distributed in over 50 countries worldwide.

Plasticase has the in-house ability to design and manufacture innovative custom solutions for our clients with state of the art production facilities and multidisciplinary teams including specialists in thermoplastics engineering and tooling, industrial design, mold making, graphic design and manufacturing.

Complimented by a large selection of optional accessories and an incredible degree of customizability, NANUK™ is the best choice to move your equipment in complete security. Whether transporting valuable equipment around the world or simply protecting sensitive tools in the urban jungle, NANUK™ is up to the challenge.



**RUGGED. WATERPROOF.
GUARANTEED FOR LIFE.**

NANUK™ protective cases are the result of years of testing both in the lab and on the field and offer unrivaled protection in a variety of sizes, configurations and colors, with its patented PowerClaw latching system and NK-7 resin outer shell, NANUK™ is built for nature's most unforgiving conditions.

Rugged, waterproof and guaranteed for life, all NANUK™ cases are designed to withstand the smallest tumbles to the biggest shocks and everything in between. When it needs to get there in one piece, it needs to go in a NANUK™.

NANUK™ features

1. Powerclaw latching system
2. Waterproof IP67 rated
3. Impact Resistant NK-7 resin
4. Padlockable
5. Shoulder strap attachment
6. Stackable
7. Integrated bezel system
8. Soft grip foldable handle
9. Integrated lid stay
10. Stainless steel hardware



NANUK™ features



Powerclaw latching system U.S. Patent 8,297,464

The patented PowerClaw Latching System used on all NANUK™ cases is engineered to keep your case closed during the toughest of missions. The PowerClaw clamps the case tightly closed using compressive force while the integrated slide lock prevents the case from opening during transport or when dropped. The super tough nylon construction ensures your precious items remain safely inside the case no matter where the journey takes you.

Waterproof - IP67 rated

Water and dirt are the enemies of sensitive equipment. NANUK™ cases are IP67 rated to ensure that your equipment stays dry and dust free. An IP67 rating requires the case to be watertight to a depth of 1m (3.3ft) for a period of 30 minutes and to be impervious to dust.

Automatic pressure release valve

Changes in altitude and geographic location creates a vacuum which can effectively seal a case shut. NANUK™'s integrated auto-pressure valve equalizes this atmospheric pressure difference. Using state-of-the-art technology, the micro vent allows air to pass through while preventing water from entering.

Seal

The seal used in all NANUK™ cases is custom designed to fit our cases. The seal is constructed of high quality EPDM to minimize material deformation and fatigue and provide a watertight seal that will last.



Impact resistant NK-7 resin

NANUK™ was designed with one objective in mind: survival. With rounded corners, thick wall construction and oversized details, NANUK™ is built to absorb the shocks without compromising the case or more importantly your contents.

Based on Plasticase's years of experience in the plastics industry, our new NK-7 resin was developed specifically for the demanding conditions that NANUK™ will be exposed to. Highly impact resistant, light, and rugged, our NK-7 resin can withstand nature's extremes.

Certifications

NANUK™ is tough and durable, but don't just take our word for it. NANUK™ cases were tested by an independent testing laboratory for compliance with the following standards:

- ATA Specification 300**
- Category 1 Impact**
- ASTM D-4169 DC-18 Drop - Vibration - Rainfall**
- MIL-STD-810F Immersion**
- IP67 Ingress protection**

NANUK™ cases tested were awarded certification after successfully completing the tests. Visit nanuk.com to find out more.



NANUKNANO®

The NANUK NANO® is the perfect protective case for your smaller valuable items. This lightweight impact resistant case series is sure to keep its contents safe and dry with the patented PowerClaw latching system and water resistant design (IP65*).

BIG PROTECTION IN A COMPACT SIZE



310

Interior dimensions L5.2" x W3.0" x H1.1"
L131mm x W77mm x H28mm

Exterior dimensions L5.9" x W4.3" x H1.7"
L149mm x W110mm x H43mm

Weight (empty) 0.6 lbs | 0.3 kg

Lid depth 0.2" | 6mm

Base depth 0.9" | 22mm

Available colors



320

Interior dimensions L5.9" x W3.3" x H1.5"
L151mm x W85mm x H39mm

Exterior dimensions L6.3" x W4.7" x H2.2"
L161mm x W118mm x H55mm

Weight (empty) 0.8 lbs | 0.4 kg

Lid depth 0.3" | 9mm

Base depth 1.2" | 30mm

Available colors



330

Interior dimensions L6.7" x W3.8" x H1.9"
L170mm x W96mm x H49mm

Exterior dimensions L7.4" x W5.1" x H2.6"
L188mm x W130mm x H65mm

Weight (empty) 1.1 lbs | 0.5 kg

Lid depth 0.5" | 13mm

Base depth 1.4" | 36mm

Available colors



NANUKNANO® features

1. Powerclaw latching system
2. Protective web
3. Smart strap
4. Rubberized interior
5. Pressure equalizer valve
6. Polycarbonate shell
7. Molded seal
8. Impact bumpers
9. Belt loops
10. Carabiner loop

*Not for use when diving or swimming



BUILT TO WITHSTAND THE ELEMENTS

903

Interior dimensions L7.4" x W4.9" x H3.1"
L188mm x W124mm x H79mm

Exterior dimensions L9.1" x W6.8" x H3.8"
L231mm x W173mm x H97mm

Weight (empty) 1.3 lbs | 0.6 kg

Lid depth 0.5" | 13mm

Base depth 2.6" | 66mm



905

Interior dimensions L9.4" x W7.4" x H5.5"
L239mm x W188mm x H140mm

Exterior dimensions L12.5" x W10.1" x H6.0"
L318mm x W257mm x H152mm

Weight (empty) 3.3 lbs | 1.5 kg

Lid depth 1.4" | 36mm

Base depth 4.1" | 104mm



NEW 909

Interior dimensions L11.4" x W7.0" x H3.7"
L291 mm x W178 mm x H93 mm

Exterior dimensions L12.6" x W9.0" x H4.4"
L321 mm x W229 mm x H111 mm

Weight (empty) 2.2 lbs | 1.0 kg

Lid depth 1.3" | 33 mm

Base depth 2.4" | 60 mm



904

Interior dimensions L8.4" x W6.0" x H3.7"
L213mm x W152mm x H94mm

Exterior dimensions L10.2" x W7.9" x H4.5"
L259mm x W201mm x H114mm

Weight (empty) 1.6 lbs | 0.7 kg

Lid depth 0.8" | 20mm

Base depth 2.9" | 74mm



NEW 908

Interior dimensions L9.5" x W7.5" x H7.5"
L241 mm x W190 mm x H190 mm

Exterior dimensions L12.5" x W9.8" x H8.0"
L318 mm x W249 mm x H203 mm

Weight (empty) 3.2 lbs | 1.5 kg

Lid depth 1.4" | 35 mm

Base depth 6.1" | 155 mm



Certifications ATA 300 / ASTM D4169 / Mil-std-810f / IP67 Rating

All NANUK™ cases are airline approved. Please check with your airline for carry-on and checked baggage size restrictions.

THE CHOICE OF PROFESSIONALS

Certifications ATA 300 / ASTM D4169 / Mil-std-810f / IP67 Rating

All NANUK™ cases are airline approved. Please check with your airline for carry-on and checked baggage size restrictions.

910

Interior dimensions L13.2" x W9.2" x H4.1"
L336mm x W234mm x H104mm

Exterior dimensions L14.3" x W11.1" x H4.7"
L363mm x W282mm x H120mm

Weight (empty) 3.0 lbs | 1.4 kg

Lid depth 1.3" | 33mm

Base depth 2.8" | 71mm

Available colors



918

Interior dimensions L14.9" x W9.8" x H8.6"
L378mm x W249mm x H218mm

Exterior dimensions L16.9" x W12.9" x H9.3"
L429mm x W328mm x H236mm

Weight (empty) 6.4 lbs | 2.9 kg

Lid depth 2.1" | 53mm

Base depth 6.5" | 165mm

Available colors



NEW

923

Interior dimensions L16.7" x W11.3" x H5.4"
L424mm x W287mm x H137mm

Exterior dimensions L18.6" x W14.4" x H6.3"
L472mm x W366mm x H160mm

Weight (empty) 5.9 lbs | 2.7 kg

Lid depth 1.8" | 46mm

Base depth 3.6" | 91mm

Available colors



915

Interior dimensions L13.8" x W9.3" x H6.2"
L351mm x W236mm x H157mm

Exterior dimensions L15.8" x W12.1" x H6.8"
L401mm x W307mm x H173mm

Weight (empty) 4.4 lbs | 2.0 kg

Lid depth 2.1" | 53mm

Base depth 4.1" | 104mm

Available colors



920

Interior dimensions L15.0" x W10.5" x H6.2"
L381mm x W267mm x H157mm

Exterior dimensions L16.7" x W13.4" x H6.8"
L424mm x W340mm x H173mm

Weight (empty) 5.1 lbs | 2.3 kg

Lid depth 2.1" | 53mm

Base depth 4.1" | 104mm

Available colors



NEW

923 Laptop

Interior dimensions L16.7" x W11.3" x H5.4"
L424mm x W287mm x H137mm

Exterior dimensions L18.6" x W14.4" x H6.3"
L472mm x W366mm x H160mm

Weight (empty) 5.9 lbs | 2.7 kg

Lid depth 1.8" | 46mm

Base depth 3.6" | 91mm

Available colors



EMERGENCY READY

925

Interior dimensions L17.0" x W11.8" x H6.4"
L432mm x W300mm x H163mm

Exterior dimensions L18.7" x W14.8" x H7.0"
L475mm x W376mm x H178mm

Weight (empty) 6.2 lbs | 2.8 kg

Lid depth 2.1" | 53mm

Base depth 4.3" | 108mm

Available colors



933

Interior dimensions L18.0" x W13.0" x H9.5"
L457mm x W330mm x H241mm

Exterior dimensions L19.9" x W16.1" x H10.1"
L505mm x W409mm x H257mm

Weight (empty) 8.0 lbs | 3.6 kg

Lid depth 2.1" | 53mm

Base depth 7.4" | 188mm

Available colors



945

Interior dimensions L22.0" x W17.0" x H8.2"
L559mm x W432mm x H208mm

Exterior dimensions L25.1" x W19.9" x H8.8"
L638mm x W505mm x H224mm

Weight (empty) 10.6 lbs | 4.8 kg

Lid depth 2.1" | 53mm

Base depth 6.1" | 155mm

Available colors



930

Interior dimensions L18.0" x W13.0" x H6.9"
L457mm x W330mm x H175mm

Exterior dimensions L19.8" x W16.0" x H7.6"
L503mm x W406mm x H193mm

Weight (empty) 7.1 lbs | 3.2 kg

Lid depth 2.1" | 53mm

Base depth 4.8" | 121mm

Available colors



940

Interior dimensions L20.0" x W14.0" x H8.0"
L508mm x W356mm x H203mm

Exterior dimensions L21.7" x W16.9" x H8.5"
L557mm x W429mm x H216mm

Weight (empty) 8.4 lbs | 3.8 kg

Lid depth 2.1" | 53mm

Base depth 5.9" | 150mm

Available colors



Certifications ATA 300 / ASTM D4169 / Mil-std-810f / IP67 Rating

All NANUK™ cases are airline approved. Please check with your airline for carry-on and checked baggage size restrictions.

DESIGNED TO GO PLACES



935

Interior dimensions L20.5" x W11.3" x H 7.5"
L521mm x W287mm x H191mm

Exterior dimensions L22.0" x W14.0" x H9.0"
L559mm x W356mm x H229mm

Weight (empty) 11.6 lbs | 5.3 kg

Lid depth 2.1" | 53mm

Base depth 5.4" | 137mm

Available colors



950

Interior dimensions L20.5" x W15.3" x H 10.1"
L521mm x W389mm x H257mm

Exterior dimensions L22.8" x W18.3" x H11.7"
L579mm x W465mm x H297mm

Weight (empty) 15.1 lbs | 6.8 kg

Lid depth 2.1" | 53mm

Base depth 8.0" | 203mm

Available colors



960

Interior dimensions L22.0" x W17.0" x H12.9"
L559mm x W432mm x H328mm

Exterior dimensions L25.4" x W20.0" x H14.5"
L645mm x W508mm x H368mm

Weight (empty) 19.2 lbs | 8.7 kg

Lid depth 2.1" | 53mm

Base depth 10.8" | 274mm

Available colors



Certifications ATA 300 / ASTM D4169 / Mil-std-810f / IP67 Rating

All NANUK™ cases are airline approved. Please check with your airline for carry-on and checked baggage size restrictions.

BUILT FOR THE PURSUIT

990

Interior dimensions L44.0" x W14.5" x H6.0"
L1118mm x W368mm x H152mm

Exterior dimensions L47.1" x W17.3" x H6.6"
L1196mm x W440mm x H168mm

Weight (empty) 17.8 lbs | 8.1 kg

Lid depth 1.6" | 41mm

Base depth 4.4" | 111mm

Available colors 



995

Interior dimensions L52.0" x W14.5" x H6.0"
L1321mm x W368mm x H152mm

Exterior dimensions L55.1" x W17.3" x H6.6"
L1399mm x W440mm x H168mm

Weight (empty) 21.6 lbs | 9.8 kg

Lid depth 1.6" | 41mm

Base depth 4.4" | 111mm

Available colors 



Certifications ATA 300 / ASTM D4169 / Mil-std-810f / IP67 Rating

All NANUK™ cases are airline approved. Please check with your airline for carry-on and checked baggage size restrictions.



MEDIA CASE SERIES

905 DJI™ Spark

Interior dimensions L9.4" x W7.4" x H5.5"
L239mm x W188mm x H140mm

Exterior dimensions L12.5" x W10.1" x H6.0"
L318mm x W257mm x H152mm

Weight (with foam) 3.6 lbs | 1.6 kg

Lid depth 1.4" | 36mm

Base depth 4.1" | 104mm

Available colors



910 DJI™ Osmo

Interior dimensions L13.2" x W9.2" x H4.1"
L336mm x W234mm x H104mm

Exterior dimensions L14.3" x W11.1" x H4.7"
L363mm x W282mm x H120mm

Weight (with foam) 3.5 lbs | 1.6 kg

Lid depth 1.3" | 33mm

Base depth 2.8" | 71mm

Available colors



910 DJI™ Mavic Air

Interior dimensions L13.2" x W9.2" x H4.1"
L336mm x W234mm x H104mm

Exterior dimensions L14.3" x W11.1" x H4.7"
L363mm x W282mm x H120mm

Weight (with foam) 3.5 lbs | 1.6 kg

Lid depth 1.3" | 33mm

Base depth 2.8" | 71mm

Available colors



915 DJI™ Mavic Air Fly More

Interior dimensions L13.8" x W9.3" x H6.2"
L351mm x W236mm x H157mm

Exterior dimensions L15.8" x W12.1" x H6.8"
L401mm x W307mm x H173mm

Weight (with foam) 5.2 lbs | 2.4 kg

Lid depth 2.1" | 53mm

Base depth 4.1" | 104mm

Available colors



915 DJI™ Spark Fly More

Interior dimensions L13.8" x W9.3" x H6.2"
L351mm x W236mm x H157mm

Exterior dimensions L15.8" x W12.1" x H6.8"
L401mm x W307mm x H173mm

Weight (with foam) 5.2 lbs | 2.4 kg

Lid depth 2.1" | 53mm

Base depth 4.1" | 104mm

Available colors



920 DJI™ Mavic

Interior dimensions L15.0" x W10.5" x H6.2"
L381mm x W267mm x H157mm

Exterior dimensions L16.7" x W13.4" x H6.8"
L424mm x W340mm x H173mm

Weight (with foam) 5.9 lbs | 2.7 kg

Lid depth 2.1" | 53mm

Base depth 4.1" | 104mm

Available colors



BUILT TO SURVIVE
THE JOURNEY

NEW

923 DJI™ Ronin-S

Interior dimensions L16.7" x W11.3" x H5.4"
L424mm x W287mm x H137mm

Exterior dimensions L18.6" x W14.4" x H6.3"
L472mm x W366mm x H160mm

Weight (with foam) 6.9 lbs | 3.1 kg

Lid depth 1.8" | 46mm

Base depth 3.6" | 91mm

Available colors



945 DJI™ Phantom 4

Interior dimensions L22.0" x W17.0" x H8.2"
L559mm x W432mm x H208mm

Exterior dimensions L25.1" x W19.9" x H8.8"
L638mm x W505mm x H224mm

Weight (with foam) 12.6 lbs | 5.7 kg

Lid depth 2.1" | 53mm

Base depth 6.1" | 155mm

Available colors



950 DJI™ Ronin-M

Interior dimensions L20.5" x W15.3" x H 10.1"
L521mm x W389mm x H257mm

Exterior dimensions L22.8" x W18.3" x H11.7"
L579mm x W465mm x H297mm

Weight (with foam) 17.7 lbs | 8.0 kg

Lid depth 2.1" | 53mm

Base depth 8.0" | 203mm

Available colors



940 DJI™ Ronin-M

Interior dimensions L20.0" x W14.0" x H8.0"
L508mm x W356mm x H203mm

Exterior dimensions L21.7" x W16.9" x H8.5"
L557mm x W429mm x H216mm

Weight (with foam) 10.4 lbs | 4.7 kg

Lid depth 2.1" | 53mm

Base depth 5.9" | 150mm

Available colors



950 DJI™ Phantom 4

Interior dimensions L20.5" x W15.3" x H 10.1"
L521mm x W389mm x H257mm

Exterior dimensions L22.8" x W18.3" x H11.7"
L579mm x W465mm x H297mm

Weight (with foam) 16.5 lbs | 7.5 kg

Lid depth 2.1" | 53mm

Base depth 8.0" | 203mm

Available colors



960 DJI™ Ronin-MX

Interior dimensions L22.0" x W17.0" x H12.9"
L559mm x W432mm x H328mm

Exterior dimensions L25.4" x W20.0" x H14.5"
L645mm x W508mm x H368mm

Weight (with foam) 23.6 lbs | 10.7 kg

Lid depth 2.1" | 53mm

Base depth 10.8" | 274mm

Available colors



FIREARMS CASE SERIES

NEW

909 Classic + Glock®

Interior dimensions L11.4" x W7.0" x H3.7"
L291 mm x W178 mm x H93 mm

Exterior dimensions L12.6" x W9.0" x H4.4"
L321 mm x W229 mm x H111 mm

Weight (with foam) 2.4 lbs | 1.1 kg

Lid depth 1.3" | 33 mm

Base depth 2.4" | 60 mm

Available colors



NEW

910 2-Up Classic + Glock®

Interior dimensions L13.2" x W9.2" x H4.1"
L336mm x W234mm x H104mm

Exterior dimensions L14.3" x W11.1" x H4.7"
L363mm x W282mm x H120mm

Weight (with foam) 3.5 lbs | 1.6 kg

Lid depth 1.3" | 33mm

Base depth 2.8" | 71mm

Available colors



925 4-Up

Interior dimensions L17.0" x W11.8" x H6.4"
L432mm x W300mm x H163mm

Exterior dimensions L18.7" x W14.8" x H7.0"
L475mm x W376mm x H178mm

Weight (with foam) 7.2 lbs | 3.3 kg

Lid depth 2.1" | 53mm

Base depth 4.3" | 108mm

Available colors



935 6-Up

Interior dimensions L20.5" x W11.3" x H 7.5"
L521mm x W287mm x H191mm

Exterior dimensions L22.0" x W14.0" x H9.0"
L559mm x W356mm x H229mm

Weight (with foam) 13.1 lbs | 5.9 kg

Lid depth 2.1" | 53mm

Base depth 5.4" | 137mm

Available colors



990 AR15

Interior dimensions L44.0" x W14.5" x H6.0"
L1118mm x W368mm x H152mm

Exterior dimensions L47.1" x W17.3" x H6.6"
L1196mm x W440mm x H168mm

Weight (with foam) 21.6 lbs | 9.8 kg

Lid depth 1.6" | 41mm

Base depth 4.4" | 111mm

Available colors



Certifications ATA 300 / ASTM D4169 / Mil-std-810f / IP67 Rating

All NANUK™ cases are airline approved. Please check with your airline for carry-on and checked baggage size restrictions.



CASE ACCESSORIES

Case accessories

The only thing that can make our cases even better is accessories. Our cases are designed to protect your investment and to help you get the most out of your case we offer easy to install accessories. Whether you need added protection on the inside of the case with our foam and divider options or need to protect your contents during the journey with a TSA padlock, we have the accessories you need.

Cubed foam

Made of high quality polyurethane foam, the multi-layered set of customizable inserts includes a pre-scored removable layer. This layer consists of foam squares that can be removed in various configurations to accommodate the contents of the case. This solution is ideal if you are seeking a quick and easy way to protect and organize your items.



| measure

| remove

| protect

TSA PowerClaw latch retrofit kit

We found a way to make our patented PowerClaw latches even better! They are now available with an integrated TSA accepted key lock. The easy to install retrofit kit can be installed on many* NANUK cases and adds another layer of security to your case. Each lock has a special code TSA001 to TSA003, which is used by the TSA, CATSA and other security agencies to know which secure tool to use to open the lock. TSA accepted latches are the perfect accessory for storing, securing and protecting valuable items at home, on the job site and in your vehicle.

*Compatible with the following NANUK cases:

908 | 918 | 920 | 925 | 933 | 935 | 940 | 945 | 950 | 960

EACH KIT CONTAINS:

- 2x TSA Powerclaw latches
- 2x Coded TSA keys
- 4x installation pins (2x short, 2x long)



Padded dividers

If you require compartmentalized protective organization of your components or equipment, our padded dividers are the right choice. Easily tailored to your needs with repositionable tongue and groove fasteners, our padded dividers are designed to easily organize and protect your equipment.

*Available for NANUK™ 905 – 960 cases.

Waterproof panel kit

A panel kit can easily be added to most of our NANUK™ cases thanks to an integrated panel mount system. Included in our panel kit is a contoured panel with mounting screws and an adhesive backed die-cut gasket. A lid mounted panel kit is available for the 908, 909, 910, 918, 923, 933, 935, 950 and 960 cases. The lid mounted panel kit does not contain a gasket.

*Available for NANUK™ 903 – 960 cases.



910 | Aluminum panel



910 | Lexan panel



Padded dividers

Shoulder strap

Our neoprene shoulder strap incorporates Aircell™ comfort technology to reduce fatigue when transporting your case. The shoulder strap can easily be attached to most NANUK™ cases without any additional hardware.

*Compatible with NANUK™ 905 – 945 cases.



TSA padlock

TSA padlocks offer the security of a padlock but can easily be opened and inspected by airport security and then locked again. A visual indicator lets you know when the case has been opened with a TSA key.

*Compatible with NANUK™ 903 – 995 cases.



Shoulder strap

NANUK™ | services

NANUK™ has the in-house ability to develop a project from its initial idea, all the way to a market-ready finished product. Whether it involves printing, custom interiors, or OEM integration, NANUK™ can provide a turnkey solution that is on budget and on time. Make us part of your winning team.

Contact us today and we will show you how we can turn an idea into a success story.



CUSTOMIZE YOUR CASE

Custom foam interiors

If your application requires a customized interior solution, specifically adapted to the contents of your case, a custom foam interior is the way to go. Let our experienced team of case designers help you optimize the layout of your components to ensure the utmost protection of your products and equipment. We will also ensure that the correct type of foam is used for your application whether it be polyurethane, polyethylene, or EVA.



Custom printing

What better way to make your mark than to have your company's logo or product branding printed in color on our cases? Simply send us your artwork and our experienced graphic designers will work with you to convey your message in the most effective and unique way.



Custom integrated panels

Not just a case: our case designers can help you incorporate your electronic instruments into NANUK™. With our integrated panel system you can take full advantage of our OEM housing solution. Simply provide us with your equipment specifications and we will develop an innovative portable unit tailored specifically to your needs.



Custom colors

NANUK™ protective cases are available in up to 10 colors. Color options range from emergency orange to olive drab allowing you to blend in or stand out, whatever the task entails. If your application requires a custom color to match your logo or brand, our design team can develop the exact color you need based on a color swatch or sample. We know how important it is for your brand to stand out. A NANUK™ case in a custom color may be the perfect solution.

*Minimum quantities required.



OEM integration

Need to add cooling ports or water resistant electrical connectors to the outside of your case? Plasticase's team of designers have the creativity and experience to develop innovative solutions for your mobile workstation requirements. We will analyze your needs and provide expert advice starting from initial design concepts through to production and final assembly.



Extreme duty cases | specifications

	Interior dimensions	Exterior dimensions	Weight (empty)	Lid depth	Base depth
310	L5.2" × W3.0" × H1.1" L131mm × W77mm × H28mm	L5.9" × W4.3" × H1.7" L149mm × W110mm × H43mm	0.6 lbs 0.3 kg	0.2" 6mm	0.9" 22mm
320	L5.9" × W3.3" × H1.5" L151mm × W85mm × H39mm	L6.3" × W4.7" × H2.2" L161mm × W118mm × H55mm	0.8 lbs 0.4 kg	0.3" 9mm	1.2" 30mm
330	L6.7" × W3.8" × H1.9" L170mm × W96mm × H49mm	L7.4" × W5.1" × H2.6" L188mm × W130mm × H65mm	1.1 lbs 0.5 kg	0.5" 13mm	1.4" 36mm
903	L7.4" × W4.9" × H3.1" L188mm × W124mm × H79mm	L9.1" × W6.8" × H3.8" L231mm × W173mm × H97mm	1.3 lbs 0.6 kg	0.5" 13mm	2.6" 66mm
904	L8.4" × W6.0" × H3.7" L213mm × W152mm × H94mm	L10.2" × W7.9" × H4.5" L259mm × W201mm × H114mm	1.6 lbs 0.7 kg	0.8" 20mm	2.9" 74mm
905	L9.4" × W7.4" × H5.5" L239mm × W188mm × H140mm	L12.5" × W10.1" × H6.0" L318mm × W257mm × H152mm	3.3 lbs 1.5 kg	1.4" 36mm	4.1" 104mm
908	L9.5" × W7.5" × H7.5" L241mm × W190mm × H190mm	L12.5" × W9.8" × H8.0" L318mm × W249mm × H203mm	3.2 lbs 1.5 kg	1.4" 35mm	6.1" 155mm
909	L11.4" × W7.0" × H3.68" L291mm × W178mm × H93mm	L12.64" × W9.0" × H4.38" L321mm × W229mm × H111mm	2.2 lbs 1.0 kg	1.3" 33mm	2.4" 60mm
910	L13.2" × W9.2" × H4.1" L336mm × W234mm × H104mm	L14.3" × W11.1" × H4.7" L363mm × W282mm × H120mm	3.0 lbs 1.4 kg	1.3" 33mm	2.8" 71mm
915	L13.8" × W9.3" × H6.2" L351mm × W236mm × H157mm	L15.8" × W12.1" × H6.8" L401mm × W307mm × H173mm	4.4 lbs 2.0 kg	2.1" 53mm	4.1" 104mm
918	L14.9" × W9.8" × H8.6" L378mm × W249mm × H218mm	L16.9" × W12.9" × H9.3" L429mm × W328mm × H236mm	6.4 lbs 2.9 kg	2.1" 53mm	6.5" 165mm
920	L15.0" × W10.5" × H6.2" L381mm × W267mm × H157mm	L16.7" × W13.4" × H6.8" L424mm × W340mm × H173mm	5.1 lbs 2.3 kg	2.1" 53mm	4.1" 104mm

Extreme duty cases | specifications

	Interior dimensions	Exterior dimensions	Weight (empty)	Lid depth	Base depth
923 923 Laptop	L16.7" × W11.3" × H5.4" L424mm × W287mm × H137mm	L18.6" × W14.4" × H6.3" L472mm × W366mm × H160mm	5.9 lbs 2.7 kg	1.8" 46mm	3.6" 91mm
925	L17.0" × W11.8" × H6.4" L432mm × W300mm × H163mm	L18.7" × W14.8" × H7.0" L475mm × W376mm × H178mm	6.2 lbs 2.8 kg	2.1" 53mm	4.3" 108mm
930	L18.0" × W13.0" × H6.9" L457mm × W330mm × H175mm	L19.8" × W16.0" × H7.6" L503mm × W406mm × H193mm	7.1 lbs 3.2 kg	2.1" 53mm	4.8" 121mm
933	L18.0" × W13.0" × H9.5" L457mm × W330mm × H241mm	L19.9" × W16.1" × H10.1" L505mm × W409mm × H257mm	8.0 lbs 3.6 kg	2.1" 53mm	7.4" 188mm
935	L20.5" × W11.3" × H7.5" L521mm × W287mm × H191mm	L22.0" × W14.0" × H9.0" L559mm × W356mm × H229mm	11.6 lbs 5.3 kg	2.1" 53mm	5.4" 137mm
940	L20.0" × W14.0" × H8.0" L508mm × W356mm × H203mm	L21.7" × W16.9" × H8.5" L557mm × W429mm × H216mm	8.4 lbs 3.8 kg	2.1" 53mm	5.9" 150mm
945	L22.0" × W17.0" × H8.2" L559mm × W432mm × H208mm	L25.1" × W19.9" × H8.8" L638mm × W505mm × H224mm	10.6 lbs 4.8 kg	2.1" 53mm	6.1" 155mm
950	L20.5" × W15.3" × H10.1" L521mm × W389mm × H257mm	L22.8" × W18.3" × H11.7" L579mm × W465mm × H297mm	15.1 lbs 6.8 kg	2.1" 53mm	8.0" 203mm
960	L22.0" × W17.0" × H12.9" L559mm × W432mm × H328mm	L25.4" × W20.0" × H14.5" L645mm × W508mm × H368mm	19.2 lbs 8.7 kg	2.1" 53mm	10.8" 274mm
990	L44.0" × W14.5" × H6.0" L1118mm × W368mm × H152mm	L47.1" × W17.3" × H6.6" L1196mm × W440mm × H168mm	17.8 lbs 8.1 kg	1.6" 41mm	4.4" 111mm
995	L52.0" × W14.5" × H6.0" L1321mm × W368mm × H152mm	L55.1" × W17.3" × H6.6" L1399mm × W440mm × H168mm	21.6 lbs 9.8 kg	1.6" 41mm	4.4" 111mm

For more details visit nanuk.com



 **plasticase**
www.plasticase.com

Plasticase inc.

1059 Boulevard des Entreprises Ouest
Terrebonne, Québec, Canada J6Y 1V2

T. 450.628.1006 | 1.800.783.6883

F. 450.628.7801 | 1.888.783.6883

E. info@plasticase.com

Skype: sales.plasticase



nanuk.com